

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

There is illegible text at the end of line 30 on page 2 of the specification. Given that the text is the same as a portion of claim 2, it is clear how the text is meant to read. Therefore, the following changes have been made:

On line 30, page 2 of the specification, the illegible word at the end of line 30 has been replaced with:

- - block, (ii) a second side - -.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Katy Meyer whose telephone number is (571)272-5830. The examiner can normally be reached on Monday - Friday, 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Ellis can be reached on 571-272-6914. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christopher P Ellis/
Supervisory Patent Examiner, Art
Unit 3618

/K. M./
Examiner, Art Unit 3618